

Erratum to: “Dopaminergic Activity in Antipsychotic-Naïve Patients Assessed With Positron Emission Tomography Before and After Partial Dopamine D<sub>2</sub> Receptor Agonist Treatment: Association With Psychotic Symptoms and Treatment Response,” by Sigvard *et al.* (*Biol Psychiatry* 2022; 91:236–245); <https://doi.org/10.1016/j.biopsych.2021.08.023>.

The authors have recognized errors in Table 4. Specifically, this table displayed mean values of  $k_3$  and  $K_i$  estimates that were obtained via manual calculation of bilateral mean values,

which was based on simple addition of left and right regions of interest (ROIs) in SPSS, but these values were not accurate. The table now reports the FreeSurfer-extracted bilateral values that were used in all statistical analyses.

The authors wish to emphasize that the correct automated bilateral values were directly extracted from FreeSurfer and used in all analyses. Hence, all reported results are correct and unaltered.

The corrected version of Table 4 is provided here.

**Table 4. Mean Values of Decarboxylation Rate ( $k_3$ ) and Dopamine Synthesis Capacity From the Four-Parameter Model ( $K_i^{4p}$ ) and the Tissue Reference Method ( $K_i^{cer}$ ) in Patients With FEP and HC Subjects**

Region	Mean $k_3$ Value, $\text{min}^{-1}$			Mean $K_i^{4p}$ Value, $\text{mL} \times \text{g}^{-1} \times \text{min}^{-1}$			Mean $K_i^{cer}$ Value, $\text{mL} \times \text{g}^{-1} \times \text{min}^{-1}$		
	HC Subjects, <i>n</i> = 27	FEP BL, <i>n</i> = 29	FEP FU, <i>n</i> = 9	HC Subjects, <i>n</i> = 27	FEP BL, <i>n</i> = 29	FEP FU, <i>n</i> = 9	HC Subjects, <i>n</i> = 31	FEP BL, <i>n</i> = 31	FEP FU, <i>n</i> = 15
Striatum	.219 (.216)	.129 (.111)	.200 (.165)	.066 (.023)	.062 (.020)	.065 (.019)	.010 (.002)	.010 (.001)	.010 (.003)
Putamen	.182 (.197)	.105 (.081)	.167 (.166)	.069 (.024)	.064 (.020)	.067 (.020)	.010 (.002)	.010 (.001)	.011 (.003)
Caudate	.282 (.233)	.205 (.165)	.251 (.154)	.063 (.022)	.061 (.019)	.063 (.015)	.009 (.002)	.009 (.001)	.010 (.002)
Nucleus accumbens	.217 (.178)	.152 (.135)	.197 (.148)	.060 (.022)	.053 (.017)	.058 (.021)	.006 (.001)	.006 (.001)	.007 (.003)

Values are presented as mean (SD).

BL, baseline; FEP, first-episode psychosis; FU, 6-week follow-up; HC, healthy control.

<https://doi.org/10.1016/j.biopsych.2022.04.015>

© 2022 Society of Biological Psychiatry. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).